



SP 500 EI-PLC



SP 500EI-PLC

Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm					2	
500	40	64	650	750	835	85	800	650	0,3 - 3	50	3 x 380	24	800x650 x835	230


SP 750EI-PLC



SP 750EI-PLC

Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm					2	
750	72	127	650	800	885	85	950	700	0,2 - 2	55	3 x 380	24	950x700 x885	270


SP 1000EI-PLC



SP 1000EI-PLC

Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH 2	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm						
1000	112	260	900	820	930	110	1350	900	0,186 - 1,86	60	3x380	24	1350x90 0x930	650


SP 1500EI-PLC



SP 1500EI-PLC


Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH 2	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm						
1500	137	370	900	820	930	110	1400	1100	0,15- 1,5	75	3x380	24	1400x1100x930	670

SP 300 - SP 500




Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH 2	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm						
300	20	20	500	730	910	...	700	700	0,9-9	...	1x220	24	1050x880x1080	120
500	40	64	650	750	835	85	800	650	0,3-3	50	1x220	24	800x650x835	230

SP 500 - SP 750



Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH 2	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm						
500	40	64	650	750	835	85	800	650	0,3-3	50	3x380	24	800x650 x835	230
750	72	127	650	800	885	85	950	700	0,2-2	55	3x380	24	950x700 x885	270


SP 1000 EI



SP 1000EI

Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm					2	
1000	112	260	900	820	930	110	1350	900	0,186- 1,86	60	3x380	24	1350x90 0x930	650


SP 1500 EI



SP 1500EI

Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm					2	
1500	137	370	900	820	930	110	1400	1100	0,15 - 1,5	75	3x380	24	1400x1100x930	670

SP 2000 EI



SP 2000EI

Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm					2	
2000	170	480	900	820	930	110	1400	1100	0,15-1,5	75	3x380	24	1400x1100x930	670


SP 3200 EI



SP 3200EI

Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm					2	
3200	423	955	1400	900	1010	125	2114	1380	0,053-0,53	90	3x380	24	2114x1380x1010	1900


SP 4500 EI



SP 4500EI

Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH 2	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm						
4500	500	1400	1400	900	1010	125	2114	1380	0,053- 0,53	90	3x380	24	2114x13 80x1010	1900

SP 6000 H



SP 6000H

Q	MT	MF	D	H1	H2	C	L	W	rpm	Sec	volt	volt	LxWxH	Kg
Kg.	danm	danm	mm	mm	mm	mm	mm	mm					2	
6000	1000	2000	1700	1000	1170	170	2450	1600	0,037 - 0,56	105	3x380	24	2450x1500x1170	2900